

Mitel 5340 IP Phone

Customisation and Superior Usability in the Next Generation of IP Phones

The Mitel® 5340 IP Phone is a new generation telephone that provides voice communication over an IP network. It can be customised to a specific user, but can also be used by any employee in the enterprise. It features a large, backlit graphics display, 48 programmable multifunction self-labelling keys and provides users with real-time access to applications and services. HTML applications can be developed to run on the 5340 IP Phone without an external server – providing cost-effective, intuitive customisation for unique requirements such as launching an application, or displaying specific information integral to the user or business. The 5340 IP Phone is ideal for any enterprise employee, including executives, teleworkers, Hot Desk users, and Contact Center agents or supervisors.

Ease of use and enhanced user value

The Mitel 5340 IP Phone provides 48 self-labelling, programmable keys, to suit the needs of any user. The backlit display and context-sensitive softkeys as well as intuitive navigation keys add to the usability, proving the 5340 IP Phone is the 'one size fits all' desktop phone.

What do you want your phone to do?

Whatever your requirements, customisation is easy and cost effective with the 5340 IP Phone's HTML desktop tool. You can launch an application, create a screen saver, or display database information – all accomplished easily and quickly to address the needs of unique customers.



5340 IP Phone

The 5340 IP Phone is ideal for any enterprise employee, including executives, teleworkers, Hot Desk users, and Contact Centre agents or supervisors.



Enhanced Acoustics with Wideband Audio

The 5300 Series IP Phones have been designed to provide superior sound quality. Wideband Audio is a standard feature on our 5340 IP Phone, and it comes equipped with a wideband audio handset (7Khz), as well as full duplex handsfree.

Peripherals support for your unique needs

Customise the 5340 IP Phone to specific user requirements by selecting the right accessory – there's no need to purchase various types of phones. The functions of the 5340 IP Phone can be expanded with any of the following phone peripherals:

- Line Interface Module, which allows analog connectivity for emergency dialing
- 5310 IP Conference Unit, which provides instant superior quality voice conferencing
- Wireless LAN Stand, which provides standards-based wireless connectivity as either an access point or a client
- Gigabit Ethernet Stand, which enables connectivity in a Gigabit Ethernet environment

5340 IP Phone Features

- Large backlit graphics display (160 x 320) with auto-dimming
- 48 programmable, multi-function, self-labelling keys, provided in three pages of 16 keys each
- Wideband Audio Support – ships with a wideband handset (7kHz) standard
- Peripherals and modules support: Mitel Cordless Handset / Headset, Line Interface Module, IP Conference Unit, Wireless LAN Stand, Gigabit Ethernet Stand
- HTML Desktop Toolkit included for Applications development
- Thirteen fixed function keys: Hold, Settings, Message, Speaker, Mute, Transfer / Conference, Redial, Cancel, Volume / Ringing / Contrast Up & Down, Home Page, Previous Page, Next Page
- Six context-sensitive softkeys for intuitive feature access
- Handsfree speakerphone operation (full duplex)
- Icon button labelling for global markets
- Language support: English, French, German, Italian, Portuguese, Spanish, Dutch
- Hearing-aid-compatible (HAC) handset (meets American Disabilities Act (ADA) requirements) and HAC compliance for magnetic coupling to approved HAC hearing aids
- Secure voice communication enabled by encryption
- PC Companion Application for easy user programming and key labelling supports Teleworker, ACD and Hot Desking
- Dual Mode ready – supports Mitel IP (MiNET) and SIP protocols

Power

Multiple power options, including Power over Ethernet

Accepts standards-based (IEEE 802.3af) power over the LAN via spare pair to signal pair, or supports 48 VDC Ethernet / AC Power wall adapter

Environmental Conditions

	Temperature	Humidity
Operational:	+4°C – +49°C	95% (non-condensing)
Storage:	-40°C – +66°C	15% (non-condensing)

Regulatory Standards

EMC: CANADA:
ICES-003 Issue 3

USA:
CFR Title 47, Part 15 (CLASS B)

EU:
R&TTE directive (1999/5/EC)
EN55024: 1998
EN55022: 1998

System Requirements

Mitel 3300 IP Communications Platform (ICP), Release 7.0 (UR2)

Mitel Teleworker Solution, Release 4.2

Safety: CANADA:
CAN/CSA-C22.2 No. 60950-00

USA:
UL60950
ANSI/NFPA 70

EU:
R&TTE directive (1999/5/EC)
EN60950: 2000

5340 IP Phone Specifications

AC Adapter		Power Consumption	Processor Type	Speed	DSPs No.	Speed	Silicon	CODEC/Wideband
Output:	48 VDC	4.8 W	MIPS	165 MHz	1	125 MHz	130μ CMOS	G.722
	LAN Power							
Input:	110V 50-60 Hz							
	or 220V 50 Hz							
RAM	ROM	Voice Traffic	Signaling	Voice QoS	Size (LxWxH)	Weight	MTBF Rate	CODEC/Compression
16 MB	8 MB	RTP over UDP	Minet over TCP Session Initiation Protocol (SIP)	IEEE 802.1p/q	9.5" x 8" x 4.5" (24 cm x 20.5 cm x 12 cm)	2.8 lbs (1.3 kg)	10 years	G.711, G.729

For more information, please call
0800 633 5606

All businesses are independently owned and operated. BT logotype and the Connect World symbol are trademarks of British Telecommunications plc used under licence (by the licensee).

The meaning of the word partner or partnership in this communication is governed solely by the terms of the commercial agreement(s) and/or arrangements in place between BT and its partners. It does not give rise to a partnership in the Partnership Act 1890 and any such meaning is expressly rejected by BT and its partners.

All BT sales and marketing activity is conducted ethically following the BT Code of Practice on Sales and Marketing. To view or order a copy of the Code, please visit www.bt.com/codeofpractice or call 152 (business customers) or 150 (consumer customers).

Offices Worldwide

The services described in this publication are subject to availability and may be modified from time to time. Services and equipment are provided subject to British Telecommunications plc's respective standard conditions of contract. Nothing in this publication forms any part of any contract.

© British Telecommunications plc 2009. Registered office: 81 Newgate Street, London EC1A 7AJ. Registered in England No. 1800000.

Designed by Mitel.

PHME 58749/10/09

In association with



Bringing it all together **BT** 